

RAPP Platform Tests - Geolocator  
v0.6.0

Generated by Doxygen 1.8.6

Fri Jul 29 2016 18:44:38



# Contents

<b>1</b>	<b>Namespace Index</b>	<b>1</b>
1.1	Namespace List . . . . .	1
<b>2</b>	<b>Hierarchical Index</b>	<b>3</b>
2.1	Class Hierarchy . . . . .	3
<b>3</b>	<b>Class Index</b>	<b>5</b>
3.1	Class List . . . . .	5
<b>4</b>	<b>File Index</b>	<b>7</b>
4.1	File List . . . . .	7
<b>5</b>	<b>Namespace Documentation</b>	<b>9</b>
5.1	ip_api_geolocator_test Namespace Reference . . . . .	9
<b>6</b>	<b>Class Documentation</b>	<b>11</b>
6.1	ip_api_geolocator_test.TestIpApiGeolocator Class Reference . . . . .	11
6.1.1	Detailed Description . . . . .	12
6.1.2	Member Function Documentation . . . . .	12
6.1.2.1	setUp . . . . .	12
6.1.2.2	test_bad_ip . . . . .	12
6.1.2.3	test_check_default_values . . . . .	12
6.1.2.4	test_right_ip . . . . .	12
6.1.2.5	test_wrong_geolocator . . . . .	12
6.1.3	Member Data Documentation . . . . .	12
6.1.3.1	_test_service . . . . .	12
<b>7</b>	<b>File Documentation</b>	<b>13</b>
7.1	/home/travis/rapp_temp/rapp-platform/rapp_geolocator/tests/ip_api_geolocator_test.py File Reference . . . . .	13
	<b>Index</b>	<b>14</b>



# Chapter 1

## Namespace Index

### 1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

[ip\\_api\\_geolocator\\_test](#) . . . . . 9



# Chapter 2

## Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

- TestCase
- ip\_api\_geolocator\_test.TestIpApiGeolocator . . . . . 11





# Chapter 3

## Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

[ip\\_api\\_geolocator\\_test.TestIpApiGeolocator](#) . . . . . 11



# Chapter 4

## File Index

### 4.1 File List

Here is a list of all files with brief descriptions:

[/home/travis/rapp\\_temp/rapp-platform/rapp\\_geolocator/tests/ip\\_api\\_geolocator\\_test.py](#) . . . . . 13



## Chapter 5

# Namespace Documentation

### 5.1 ip\_api\_geolocator\_test Namespace Reference

#### Classes

- class [TestIpApiGeolocator](#)




# Chapter 6


## Class Documentation

### 6.1 ip\_api\_geolocator\_test.TestIpApiGeolocator Class Reference

Inheritance diagram for ip\_api\_geolocator\_test.TestIpApiGeolocator:



Collaboration diagram for ip\_api\_geolocator\_test.TestIpApiGeolocator:



## Public Member Functions

- def [setUp](#)
- def [test\\_bad\\_ip](#)
- def [test\\_check\\_default\\_values](#)
- def [test\\_right\\_ip](#)
- def [test\\_wrong\\_geolocator](#)

## Private Attributes

- [\\_test\\_service](#)

### 6.1.1 Detailed Description

Definition at line 37 of file `ip_api_geolocator_test.py`.

### 6.1.2 Member Function Documentation

#### 6.1.2.1 `def ip_api_geolocator_test.TestIpApiGeolocator.setUp ( self )`

Definition at line 39 of file `ip_api_geolocator_test.py`.

#### 6.1.2.2 `def ip_api_geolocator_test.TestIpApiGeolocator.test_bad_ip ( self )`

Definition at line 70 of file `ip_api_geolocator_test.py`.

#### 6.1.2.3 `def ip_api_geolocator_test.TestIpApiGeolocator.test_check_default_values ( self )`

Definition at line 49 of file `ip_api_geolocator_test.py`.

#### 6.1.2.4 `def ip_api_geolocator_test.TestIpApiGeolocator.test_right_ip ( self )`

Definition at line 63 of file `ip_api_geolocator_test.py`.

#### 6.1.2.5 `def ip_api_geolocator_test.TestIpApiGeolocator.test_wrong_geolocator ( self )`

Definition at line 55 of file `ip_api_geolocator_test.py`.

### 6.1.3 Member Data Documentation

#### 6.1.3.1 `ip_api_geolocator_test.TestIpApiGeolocator._test_service` [private]

Definition at line 44 of file `ip_api_geolocator_test.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_geolocator/tests/ip_api_geolocator_test.py`



## Chapter 7

# File Documentation

### 7.1 `/home/travis/rapp_temp/rapp-platform/rapp_geolocator/tests/ip_api_geolocator_test.py` File Reference

#### Classes

- class [ip\\_api\\_geolocator\\_test.TestIpApiGeolocator](#)

#### Namespaces

- [ip\\_api\\_geolocator\\_test](#)

# Index

/home/travis/rapp\_temp/rapp-platform/rapp\_geolocator/tests/ip-  
\_api\_geolocator\_test.py, [13](#)

\_test\_service

ip\_api\_geolocator\_test::TestIpApiGeolocator, [12](#)

ip\_api\_geolocator\_test, [9](#)

ip\_api\_geolocator\_test.TestIpApiGeolocator, [11](#)

ip\_api\_geolocator\_test::TestIpApiGeolocator

\_test\_service, [12](#)

setUp, [12](#)

test\_bad\_ip, [12](#)

test\_check\_default\_values, [12](#)

test\_right\_ip, [12](#)

test\_wrong\_geolocator, [12](#)

setUp

ip\_api\_geolocator\_test::TestIpApiGeolocator, [12](#)

test\_bad\_ip

ip\_api\_geolocator\_test::TestIpApiGeolocator, [12](#)

test\_check\_default\_values

ip\_api\_geolocator\_test::TestIpApiGeolocator, [12](#)

test\_right\_ip

ip\_api\_geolocator\_test::TestIpApiGeolocator, [12](#)

test\_wrong\_geolocator

ip\_api\_geolocator\_test::TestIpApiGeolocator, [12](#)