

RAPP Platform Tests - Human Detection
v0.6.0

Generated by Doxygen 1.8.6

Fri Jul 29 2016 18:44:33

Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	functional_tests Namespace Reference	9
5.1.1	Variable Documentation	9
5.1.1.1	PKG	9
6	Class Documentation	11
6.1	HumanDetectionTest Class Reference	11
6.1.1	Detailed Description	12
6.1.2	Constructor & Destructor Documentation	12
6.1.2.1	HumanDetectionTest	12
6.1.3	Member Function Documentation	12
6.1.3.1	SetUp	12
6.1.3.2	TearDown	12
6.1.4	Member Data Documentation	12
6.1.4.1	human_detector_	12
6.2	functional_tests.HumanDetFunc Class Reference	13
6.2.1	Detailed Description	13
6.2.2	Member Function Documentation	14
6.2.2.1	test_fileDoesNotExist	14
6.2.2.2	test_fileExistsButItAudio	14
6.2.2.3	test_humanDoesNotExist	14

6.2.2.4	test_humanExists_realistic	14
6.2.2.5	test_humanExists_stress	14
7	File Documentation	15
7.1	/home/travis/rapp_temp/rapp-platform/rapp_human_detection/tests/human_detection/functional_ - tests.py File Reference	15
7.2	/home/travis/rapp_temp/rapp-platform/rapp_human_detection/tests/human_detection/unit_tests.cpp File Reference	15
7.2.1	Function Documentation	16
7.2.1.1	main	16
7.2.1.2	TEST_F	16
7.2.1.3	TEST_F	17
7.2.1.4	TEST_F	17
7.2.1.5	TEST_F	17
Index		18

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

[functional_tests](#) 9

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

- Test
 - HumanDetectionTest 11
- TestCase
 - functional_tests.HumanDetFunc 13

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

HumanDetectionTest	
Handles the human detection unit testing using gtests	11
functional_tests.HumanDetFunc	13

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_human_detection/tests/human_detection/functional_tests.py	15
/home/travis/rapp_temp/rapp-platform/rapp_human_detection/tests/human_detection/unit_tests.cpp	15

Chapter 5

Namespace Documentation

5.1 functional_tests Namespace Reference

Classes

- class [HumanDetFunc](#)

Variables

- string [PKG](#) = 'ros_nodes'

5.1.1 Variable Documentation

5.1.1.1 string functional_tests.PKG = 'ros_nodes'

Definition at line 18 of file functional_tests.py.


Chapter 6

Class Documentation


6.1 HumanDetectionTest Class Reference

Handles the human detection unit testing using gtests.

Inheritance diagram for HumanDetectionTest:



Collaboration diagram for HumanDetectionTest:



Protected Member Functions

- [HumanDetectionTest \(\)](#)

Default constructor.

- virtual void [SetUp](#) ()

Sets up the class variables for each unit test call.

- virtual void [TearDown](#) ()

This function is called after the termination of each test. Destroys the dynamically allocated variables.

Protected Attributes

- HumanDetector * [human_detector_](#)

6.1.1 Detailed Description

Handles the human detection unit testing using gtests.

Definition at line 27 of file `unit_tests.cpp`.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 `HumanDetectionTest::HumanDetectionTest ()` [`inline`], [`protected`]

Default constructor.

Definition at line 34 of file `unit_tests.cpp`.

6.1.3 Member Function Documentation

6.1.3.1 `virtual void HumanDetectionTest::SetUp ()` [`inline`], [`protected`], [`virtual`]

Sets up the class variables for each unit test call.

Definition at line 40 of file `unit_tests.cpp`.

6.1.3.2 `virtual void HumanDetectionTest::TearDown ()` [`inline`], [`protected`], [`virtual`]

This function is called after the termination of each test. Destroys the dynamically allocated variables.

Definition at line 48 of file `unit_tests.cpp`.

6.1.4 Member Data Documentation

6.1.4.1 `HumanDetector* HumanDetectionTest::human_detector_` [`protected`]

Pointer of type `HumanDetector`. Used to check its functions


Definition at line 53 of file `unit_tests.cpp`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_human_detection/tests/human_detection/unit_tests.cpp`

6.2 functional_tests.HumanDetFunc Class Reference

Inheritance diagram for functional_tests.HumanDetFunc:



Collaboration diagram for functional_tests.HumanDetFunc:



Public Member Functions

- def [test_fileDoesNotExist](#)
Tests human detection with a non existent image.
- def [test_fileExistsButItAudio](#)
Tests human detection with an audio file.
- def [test_humanDoesNotExist](#)
Tests human detection with an image that does not contain humans.
- def [test_humanExists_realistic](#)
Tests human detection with a NAO captured image.
- def [test_humanExists_stress](#)
Tests human detection with a NAO captured image from almost 2 meters.

6.2.1 Detailed Description

Handles the human detection functional tests

Definition at line 32 of file `functional_tests.py`.

6.2.2 Member Function Documentation

6.2.2.1 def functional_tests.HumanDetFunc.test_fileDoesNotExist (self)

Tests human detection with a non existent image.

Should return 0 humans

Definition at line 91 of file functional_tests.py.

6.2.2.2 def functional_tests.HumanDetFunc.test_fileExistsButItAudio (self)

Tests human detection with an audio file.

Should not crush an return 0 humans

Definition at line 104 of file functional_tests.py.

6.2.2.3 def functional_tests.HumanDetFunc.test_humanDoesNotExist (self)

Tests human detection with an image that does not contain humans.

Should return 0 humans

Definition at line 78 of file functional_tests.py.

6.2.2.4 def functional_tests.HumanDetFunc.test_humanExists_realistic (self)

Tests human detection with a NAO captured image.

Should return 1 human

Definition at line 37 of file functional_tests.py.

6.2.2.5 def functional_tests.HumanDetFunc.test_humanExists_stress (self)

Tests human detection with a NAO captured image from almost 2 meters.

Should return 1 human DISABLED - Returned 2 def test_humanExists_realistic_2(self): rospack = rospkg.RosPack() human_service = rospy.get_param("rapp_human_detection_detect_humans_topic") rospy.wait_for_service(human_service) fd_service = rospy.ServiceProxy(human_service, HumanDetectionRosSrv) req = HumanDetectionRosSrvRequest() req.imageFilename = rospack.get_path('rapp_testing_tools') + \ '/test_data/human_detection_samples/NAO_picture_10.png' response = fd_service(req) humans_num = len(response.humans_up_left) self.assertEqual(humans_num, 1) Stress test for human detection. 20 calls in a row

Definition at line 64 of file functional_tests.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_human_detection/tests/human_detection/functional_tests.py

Chapter 7

File Documentation

7.1 `/home/travis/rapp_temp/rapp-platform/rapp_human_detection/tests/human_detection/functional_tests.py` File Reference

Classes

- class [functional_tests.HumanDetFunc](#)

Namespaces

- [functional_tests](#)


Variables

- string [functional_tests.PKG](#) = 'ros_nodes'

7.2 `/home/travis/rapp_temp/rapp-platform/rapp_human_detection/tests/human_detection/unit_tests.cpp` File Reference

```
#include <gtest/gtest.h>
#include <human_detection/human_detector.h>
#include <ros/package.h>
```

Include dependency graph for `unit_tests.cpp`:



Classes

- class [HumanDetectionTest](#)
Handles the human detection unit testing using gtests.

Functions

- int [main](#) (int argc, char **argv)
The main function. Initialized the unit tests.
- [TEST_F](#) ([HumanDetectionTest](#), `human_test`)
Tests human detection with the Lenna image. Should be successful.
- [TEST_F](#) ([HumanDetectionTest](#), `qr_test`)
Tests human detection with a qr code. Should return 0 humans.
- [TEST_F](#) ([HumanDetectionTest](#), `file_not_exists_test`)
Tests human detection with a missing file. Should return 0 humans.
- [TEST_F](#) ([HumanDetectionTest](#), `zero_sized_image_test`)
Tests human detection with an empty image. Should return 0 humans.

7.2.1 Function Documentation

7.2.1.1 `int main (int argc, char ** argv)`

The main function. Initialized the unit tests.

Definition at line 103 of file `unit_tests.cpp`.

7.2.1.2 `TEST_F (HumanDetectionTest , human_test)`

Tests human detection with the Lenna image. Should be successful.

Definition at line 60 of file `unit_tests.cpp`.

7.2.1.3 TEST_F(HumanDetectionTest , qr_test)

Tests human detection with a qr code. Should return 0 humans.

Definition at line 71 of file unit_tests.cpp.

7.2.1.4 TEST_F(HumanDetectionTest , file_not_exists_test)

Tests human detection with a missing file. Should return 0 humans.

Definition at line 82 of file unit_tests.cpp.

7.2.1.5 TEST_F(HumanDetectionTest , zero_sized_image_test)

Tests human detection with an empty image. Should return 0 humans.

Definition at line 93 of file unit_tests.cpp.

Index

`/home/travis/rapp_temp/rapp-platform/rapp_human_-
detection/tests/human_detection/functional_-
tests.py`, [15](#)

`/home/travis/rapp_temp/rapp-platform/rapp_human_-
detection/tests/human_detection/unit_tests.-
cpp`, [15](#)

`functional_tests`, [9](#)
 [PKG](#), [9](#)

`functional_tests.HumanDetFunc`, [13](#)

`functional_tests::HumanDetFunc`
 [test_fileDoesNotExist](#), [14](#)
 [test_fileExistsButItAudio](#), [14](#)
 [test_humanDoesNotExist](#), [14](#)
 [test_humanExists_realistic](#), [14](#)
 [test_humanExists_stress](#), [14](#)

`human_detector_`
 [HumanDetectionTest](#), [12](#)

`HumanDetectionTest`, [11](#)
 [human_detector_](#), [12](#)
 [HumanDetectionTest](#), [12](#)
 [HumanDetectionTest](#), [12](#)
 [SetUp](#), [12](#)
 [TearDown](#), [12](#)

`main`
 [unit_tests.cpp](#), [16](#)

`PKG`
 [functional_tests](#), [9](#)

`SetUp`
 [HumanDetectionTest](#), [12](#)

`TEST_F`
 [unit_tests.cpp](#), [16](#), [17](#)

`TearDown`
 [HumanDetectionTest](#), [12](#)

`test_fileDoesNotExist`
 [functional_tests::HumanDetFunc](#), [14](#)

`test_fileExistsButItAudio`
 [functional_tests::HumanDetFunc](#), [14](#)

`test_humanDoesNotExist`
 [functional_tests::HumanDetFunc](#), [14](#)

`test_humanExists_realistic`
 [functional_tests::HumanDetFunc](#), [14](#)

`test_humanExists_stress`
 [functional_tests::HumanDetFunc](#), [14](#)

`unit_tests.cpp`

`main`, [16](#)
`TEST_F`, [16](#), [17](#)