

# RAPP Platform Tests - Knowrob Wrapper

v0.6.0

Generated by Doxygen 1.8.6

Fri Jul 29 2016 18:44:28



# Contents

<b>1 Namespace Index</b>	<b>1</b>
1.1 Namespace List . . . . .	1
<b>2 Hierarchical Index</b>	<b>3</b>
2.1 Class Hierarchy . . . . .	3
<b>3 Class Index</b>	<b>5</b>
3.1 Class List . . . . .	5
<b>4 File Index</b>	<b>7</b>
4.1 File List . . . . .	7
<b>5 Namespace Documentation</b>	<b>9</b>
5.1 cognitive_exercise_system_knowrob_services_functional_tests Namespace Reference . . . . .	9
5.1.1 Variable Documentation . . . . .	9
5.1.1.1 PKG . . . . .	9
5.2 load_dump_ontology_functional_tests Namespace Reference . . . . .	9
5.2.1 Variable Documentation . . . . .	9
5.2.1.1 PKG . . . . .	9
5.3 sub_super_class_functional_tests Namespace Reference . . . . .	10
5.3.1 Variable Documentation . . . . .	10
5.3.1.1 PKG . . . . .	10
<b>6 Class Documentation</b>	<b>11</b>
6.1 cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc Class Reference . . . . .	11
6.1.1 Detailed Description . . . . .	12
6.1.2 Member Function Documentation . . . . .	12
6.1.2.1 test_cognitive_tests_of_existent_type . . . . .	12
6.1.2.2 test_cognitive_tests_of_nonexistent_type . . . . .	13
6.1.2.3 test_create_nonexistent_cognitive_test . . . . .	13
6.1.2.4 test_create_nonexistent_cognitive_test_xml_path_nonexistent . . . . .	13
6.1.2.5 test_get_user_ontology_alias_existent_user . . . . .	13
6.1.2.6 test_get_user_ontology_alias_nonexistent_user . . . . .	13

6.1.2.7	test_record_user_performance_nonexisting_test_and_user . . . . .	13
6.1.2.8	test_user_performance_existent_user_and_test . . . . .	13
6.1.2.9	test_user_performance_nonexistent_user_and_test . . . . .	14
6.2	load_dump_ontology_functional_tests.OntologyFunc Class Reference . . . . .	14
6.2.1	Detailed Description . . . . .	15
6.2.2	Member Function Documentation . . . . .	15
6.2.2.1	test_dump_correct_path . . . . .	15
6.2.2.2	test_dump_invalid_path . . . . .	15
6.2.2.3	test_load_existent . . . . .	15
6.2.2.4	test_load_nonexistent . . . . .	15
6.3	sub_super_class_functional_tests.OntologyFunc Class Reference . . . . .	15
6.3.1	Detailed Description . . . . .	17
6.3.2	Member Function Documentation . . . . .	17
6.3.2.1	test_sub_superclasses_of_existent_class_direct . . . . .	17
6.3.2.2	test_sub_superclasses_of_existent_class_direct_recursive . . . . .	17
6.3.2.3	test_sub_superclasses_of_existent_class_indirect . . . . .	17
6.3.2.4	test_sub_superclasses_of_existent_class_indirect_recursive . . . . .	17
6.3.2.5	test_sub_superclasses_of_existent_class_recursive . . . . .	18
6.3.2.6	test_sub_superclasses_of_existent_classes_recursive . . . . .	18
6.3.2.7	test_sub_superclasses_of_non_existent_class . . . . .	18
6.3.2.8	test_sub_superclasses_of_non_existent_classes . . . . .	18
6.3.2.9	test_subclasses_of_existent_class . . . . .	18
6.3.2.10	test_subclasses_of_existent_class_recursive . . . . .	18
6.3.2.11	test_subclasses_of_existent_class_stress . . . . .	18
6.3.2.12	test_subclasses_of_non_existent_class . . . . .	18
6.3.2.13	test_subclasses_of_non_existent_class_recursive . . . . .	18
6.3.2.14	test_superclasses_of_existent_class . . . . .	19
6.3.2.15	test_superclasses_of_existent_class_recursive . . . . .	19
6.3.2.16	test_superclasses_of_non_existent_class . . . . .	19
6.3.2.17	test_superclasses_of_non_existent_class_recursive . . . . .	19
7	File Documentation . . . . .	21
7.1	/home/travis/rapp_temp/rapp-platform/rapp_knowrob_wrapper/tests/functional/cognitive_exercise_system_knowrob_services_functional_tests.py File Reference . . . . .	21
7.2	/home/travis/rapp_temp/rapp-platform/rapp_knowrob_wrapper/tests/functional/load_dump_ontology_functional_tests.py File Reference . . . . .	21
7.3	/home/travis/rapp_temp/rapp-platform/rapp_knowrob_wrapper/tests/functional/sub_super_class_functional_tests.py File Reference . . . . .	22
	Index . . . . .	23

# Chapter 1

## Namespace Index

### 1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

cognitive_exercise_system_knowrob_services_functional_tests . . . . .	9
load_dump_ontology_functional_tests . . . . .	9
sub_super_class_functional_tests . . . . .	10



## Chapter 2

# Hierarchical Index

## 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

TestCase	
cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc	11
load_dump_ontology_functional_tests.OntologyFunc	14
sub_super_class_functional_tests.OntologyFunc	15



# Chapter 3

## Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc</a>	Inherits the unittest.TestCase class in order to offer functional tests functionality . . . . .	11
<a href="#">load_dump_ontology_functional_tests.OntologyFunc</a>	Inherits the unittest.TestCase class in order to offer functional tests functionalit . . . . .	14
<a href="#">sub_super_class_functional_tests.OntologyFunc</a>	Inherits the unittest.TestCase class in order to offer functional tests functionality . . . . .	15



# Chapter 4

## File Index

### 4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_knowrob_wrapper/tests/functional/cognitive_exercise_- system_knowrob_services_functional_tests.py . . . . .	21
/home/travis/rapp_temp/rapp-platform/rapp_knowrob_wrapper/tests/functional/load_dump_ontology_- functional_tests.py . . . . .	21
/home/travis/rapp_temp/rapp-platform/rapp_knowrob_wrapper/tests/functional/sub_super_class_functional- _tests.py . . . . .	22



# Chapter 5

## Namespace Documentation

### 5.1 cognitive\_exercise\_system\_knowrob\_services\_functional\_tests Namespace Reference

#### Classes

- class [OntologyFunc](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Variables

- string [PKG](#) = 'rapp\_knowrob\_wrapper'

#### 5.1.1 Variable Documentation

##### 5.1.1.1 string cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.PKG = 'rapp\_knowrob\_wrapper'

Definition at line 17 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

### 5.2 load\_dump\_ontology\_functional\_tests Namespace Reference

#### Classes

- class [OntologyFunc](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Variables

- string [PKG](#) = 'rapp\_knowrob\_wrapper'

#### 5.2.1 Variable Documentation

##### 5.2.1.1 string load\_dump\_ontology\_functional\_tests.PKG = 'rapp\_knowrob\_wrapper'

Definition at line 18 of file load\_dump\_ontology\_functional\_tests.py.

## 5.3 sub\_super\_class\_functional\_tests Namespace Reference

### Classes

- class [OntologyFunc](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

### Variables

- string [PKG](#) = 'rapp\_knowrob\_wrapper'

#### 5.3.1 Variable Documentation

##### 5.3.1.1 string [sub\\_super\\_class\\_functional\\_tests.PKG](#) = 'rapp\_knowrob\_wrapper'

Definition at line 17 of file [sub\\_super\\_class\\_functional\\_tests.py](#).


# Chapter 6

## Class Documentation


### 6.1 cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.OntologyFunc Class Reference

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Inheritance diagram for cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.OntologyFunc:



Collaboration diagram for cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.OntologyFunc:



## Public Member Functions

- def `test_cognitive_tests_of_existent_type`  
*Test cognitive tests of existent type.*
- def `test_cognitive_tests_of_nonexistent_type`  
*Test cognitive tests of non existent type.*
- def `test_create_nonexistent_cognitive_test`  
*Test create nonexistent cognitive test def test\_create\_existent\_cognitive\_test(self): subclasses\_of\_service = rospy.get\_param(\ "rapp\_knowrob\_wrapper\_create\_cognitive\_tests") rospy.wait\_for\_service(subclasses\_of\_service)*
- def `test_create_nonexistent_cognitive_test_xml_path_nonexistent`  
*Test create non existent cognitive test with invalid xml path.*
- def `test_get_user_ontology_alias_existent_user`  
*Test get user ontology alias of existent user.*
- def `test_get_user_ontology_alias_nonexistent_user`  
*Test get user ontology alias of nonexistent user.*
- def `test_record_user_performance_nonexisting_test_and_user`  
*Test record user performance of existent user and test type def test\_record\_user\_performance\_existing\_test\_and\_user(self): subclasses\_of\_service = rospy.get\_param(\ "rapp\_knowrob\_wrapper\_record\_user\_cognitive\_tests\_performance") rospy.wait\_for\_service(subclasses\_of\_service)*
- def `test_user_performance_existent_user_and_test`  
*Test user performance of existent user and test type.*
- def `test_user_performance_nonexistent_user_and_test`  
*Test user performance of nonexistent user and test type.*

### 6.1.1 Detailed Description

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Definition at line 44 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

### 6.1.2 Member Function Documentation

#### 6.1.2.1 def cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.OntologyFunc.test\_cognitive\_tests\_of\_existent\_type ( self )

Test cognitive tests of existent type.

Definition at line 47 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

```
6.1.2.2 def cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc.test_cognitive_tests_of_nonexistent_type( self )
```

Test cognitive tests of non existent type.

Definition at line 65 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

```
6.1.2.3 def cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc.test_create_nonexistent_cognitive_test( self )
```

Test create existent cognitive test def test\_create\_existent\_cognitive\_test(self): subclasses\_of\_service = rospy.get\_param(\ "rapp\_knowrob\_wrapper\_create\_cognitive\_tests") rospy.wait\_for\_service(subclasses\_of\_service)

Test create non existent cognitive test

Definition at line 196 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

```
6.1.2.4 def cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc.test_create_nonexistent_cognitive_test_xml_path_nonexistent( self )
```

Test create non existent cognitive test with invalid xml path.

Definition at line 216 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

```
6.1.2.5 def cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc.test_get_user_ontology_alias_existent_user( self )
```

Test get user ontology alias of existent user.

Definition at line 81 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

```
6.1.2.6 def cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc.test_get_user_ontology_alias_nonexistent_user( self )
```

Test get user ontology alias of nonexistent user.

Definition at line 96 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

```
6.1.2.7 def cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc.test_record_user_performance_nonexisting_test_and_user( self )
```

Test record user performance of existent user and test type def test\_record\_user\_performance\_existing\_test\_and\_user(self): subclasses\_of\_service = rospy.get\_param(\ "rapp\_knowrob\_wrapper\_record\_user\_cognitive\_tests\_performance") rospy.wait\_for\_service(subclasses\_of\_service)

req.test\_type="ArithmeticCts" req.test="ArithmeticCts\_MewmmEsP" req.score=11 req.timestamp=1 response = test\_service(req) self.assertEqual(response.success, True) Test record user performance of nonexistent user and test type

Definition at line 161 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

```
6.1.2.8 def cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc.test_user_performance_existent_user_and_test( self )
```

Test user performance of existent user and test type.

Definition at line 110 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.

```
6.1.2.9 def cognitive_exercise_system_knowrob_services_functional_tests.OntologyFunc.test_user_performance_nonexistent_
    _user_and_test( self )
```

Test user performance of nonexistent user and test type.

Definition at line 127 of file cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py.


The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_knowrob\_wrapper/tests/functional/cognitive\_exercise\_system\_-knowrob\_services\_functional\_tests.py


## 6.2 load\_dump\_ontology\_functional\_tests.OntologyFunc Class Reference

Inherits the unittest.TestCase class in order to offer functional tests functionalit.

Inheritance diagram for load\_dump\_ontology\_functional\_tests.OntologyFunc:



Collaboration diagram for load\_dump\_ontology\_functional\_tests.OntologyFunc:



### Public Member Functions

- def [test\\_dump\\_correct\\_path](#)

*Test dump ontology with correct path.*

- def [test\\_dump\\_invalid\\_path](#)

*Test dump ontology with invalid path.*

- def [test\\_load\\_existent](#)

*Test load ontology from existent file.*

- def [test\\_load\\_nonexistent](#)

*Test load ontology from non existent file.*

## 6.2.1 Detailed Description

Inherits the `unittest.TestCase` class in order to offer functional tests functionality.

Definition at line 33 of file `load_dump_ontology_functional_tests.py`.

## 6.2.2 Member Function Documentation

### 6.2.2.1 def `load_dump_ontology_functional_tests.OntologyFunc.test_dump_correct_path ( self )`

Test dump ontology with correct path.

Definition at line 64 of file `load_dump_ontology_functional_tests.py`.

### 6.2.2.2 def `load_dump_ontology_functional_tests.OntologyFunc.test_dump_invalid_path ( self )`

Test dump ontology with invalid path.

Definition at line 78 of file `load_dump_ontology_functional_tests.py`.

### 6.2.2.3 def `load_dump_ontology_functional_tests.OntologyFunc.test_load_existent ( self )`

Test load ontology from existent file.

Definition at line 36 of file `load_dump_ontology_functional_tests.py`.

### 6.2.2.4 def `load_dump_ontology_functional_tests.OntologyFunc.test_load_nonexistent ( self )`

Test load ontology from non existent file.

Definition at line 50 of file `load_dump_ontology_functional_tests.py`.


The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_knowrob\\_wrapper/tests/functional/load\\_dump\\_ontology\\_functional\\_tests.py](#)


## 6.3 sub\_super\_class\_functional\_tests.OntologyFunc Class Reference

Inherits the `unittest.TestCase` class in order to offer functional tests functionality.

Inheritance diagram for sub\_super\_class\_functional\_tests.OntologyFunc:



Collaboration diagram for sub\_super\_class\_functional\_tests.OntologyFunc:



## Public Member Functions

- def `test_sub_superclasses_of_existent_class_direct`  
*Tests sub-superclasses\_of existent class direct.*
- def `test_sub_superclasses_of_existent_class_direct_recursive`  
*Tests sub-superclasses\_of existent class direct recursive.*
- def `test_sub_superclasses_of_existent_class_indirect`  
*Tests sub-superclasses\_of existent class indirect.*
- def `test_sub_superclasses_of_existent_class_indirect_recursive`  
*Tests sub-superclasses\_of existent class indirect recursive.*
- def `test_sub_superclasses_of_existent_class_recursive`  
*Tests sub-superclasses\_of existent class recursive.*
- def `test_sub_superclasses_of_existent_classes_recursive`  
*Tests sub-superclasses\_of existent classes.*
- def `test_sub_superclasses_of_non_existent_class`  
*Tests sub-superclasses\_of non existent class.*
- def `test_sub_superclasses_of_non_existent_classes`  
*Tests sub-superclasses\_of non existent classes.*

- def [test\\_subclasses\\_of\\_existent\\_class](#)  
*Tests Subclasses\_of existent class.*
- def [test\\_subclasses\\_of\\_existent\\_class\\_recursive](#)  
*Tests Subclass\_of existent class recursive.*
- def [test\\_subclasses\\_of\\_existent\\_class\\_stress](#)  
*Tests Subclasses\_of existent class stress.*
- def [test\\_subclasses\\_of\\_non\\_existent\\_class](#)  
*Tests Subclass\_of non existent class.*
- def [test\\_subclasses\\_of\\_non\\_existent\\_class\\_recursive](#)  
*Tests Subclass\_of non existent class recursive.*
- def [test\\_superclasses\\_of\\_existent\\_class](#)  
*Tests Superclasses\_of existent class.*
- def [test\\_superclasses\\_of\\_existent\\_class\\_recursive](#)  
*Tests Superclasses\_of existent class recursive.*
- def [test\\_superclasses\\_of\\_non\\_existent\\_class](#)  
*Tests Superclasses\_of non existent class.*
- def [test\\_superclasses\\_of\\_non\\_existent\\_class\\_recursive](#)  
*Tests Superclasses\_of non existent class recursive.*

### 6.3.1 Detailed Description

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Definition at line 38 of file sub\_super\_class\_functional\_tests.py.

### 6.3.2 Member Function Documentation

#### 6.3.2.1 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_sub\_superclasses\_of\_existent\_class\_direct ( self )

Tests sub-superclasses\_of existent class direct.

Definition at line 200 of file sub\_super\_class\_functional\_tests.py.

#### 6.3.2.2 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_sub\_superclasses\_of\_existent\_class\_direct\_recursive ( self )

Tests sub-superclasses\_of existent class direct recursive.

Definition at line 234 of file sub\_super\_class\_functional\_tests.py.

#### 6.3.2.3 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_sub\_superclasses\_of\_existent\_class\_indirect ( self )

Tests sub-superclasses\_of existent class indirect.

Definition at line 217 of file sub\_super\_class\_functional\_tests.py.

#### 6.3.2.4 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_sub\_superclasses\_of\_existent\_class\_indirect\_recursive ( self )

Tests sub-superclasses\_of existent class indirect recursive.

Definition at line 251 of file sub\_super\_class\_functional\_tests.py.

**6.3.2.5 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_sub\_superclasses\_of\_existent\_class\_recursive ( self )**

Tests sub-superclasses\_of existent class recursive.

Definition at line 287 of file sub\_super\_class\_functional\_tests.py.

**6.3.2.6 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_sub\_superclasses\_of\_existent\_classes\_recursive ( self )**

Tests sub-superclasses\_of existent classes.

Definition at line 325 of file sub\_super\_class\_functional\_tests.py.

**6.3.2.7 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_sub\_superclasses\_of\_non\_existent\_class ( self )**

Tests sub-superclasses\_of non existent class.

Definition at line 268 of file sub\_super\_class\_functional\_tests.py.

**6.3.2.8 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_sub\_superclasses\_of\_non\_existent\_classes ( self )**

Tests sub-superclasses\_of non existent classes.

Definition at line 306 of file sub\_super\_class\_functional\_tests.py.

**6.3.2.9 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_subclasses\_of\_existent\_class ( self )**

Tests Subclasses\_of existent class.

Definition at line 41 of file sub\_super\_class\_functional\_tests.py.

**6.3.2.10 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_subclasses\_of\_existent\_class\_recursive ( self )**

Tests Subclass\_of existent class recursive.

Definition at line 92 of file sub\_super\_class\_functional\_tests.py.

**6.3.2.11 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_subclasses\_of\_existent\_class\_stress ( self )**

Tests Subclasses\_of existent class stress.

Definition at line 58 of file sub\_super\_class\_functional\_tests.py.

**6.3.2.12 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_subclasses\_of\_non\_existent\_class ( self )**

Tests Subclass\_of non existent class.

Definition at line 75 of file sub\_super\_class\_functional\_tests.py.

**6.3.2.13 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_subclasses\_of\_non\_existent\_class\_recursive ( self )**

Tests Subclass\_of non existent class recursive.

Definition at line 113 of file sub\_super\_class\_functional\_tests.py.

6.3.2.14 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_superclasses\_of\_existent\_class ( self )

Tests Superclasses\_of existent class.

Definition at line 131 of file sub\_super\_class\_functional\_tests.py.

6.3.2.15 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_superclasses\_of\_existent\_class\_recursive ( self )

Tests Superclasses\_of existent class recursive.

Definition at line 146 of file sub\_super\_class\_functional\_tests.py.

6.3.2.16 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_superclasses\_of\_non\_existent\_class ( self )

Tests Superclasses\_of non existent class.

Definition at line 167 of file sub\_super\_class\_functional\_tests.py.

6.3.2.17 def sub\_super\_class\_functional\_tests.OntologyFunc.test\_superclasses\_of\_non\_existent\_class\_recursive ( self )

Tests Superclasses\_of non existent class recursive.

Definition at line 183 of file sub\_super\_class\_functional\_tests.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_knowrob\_wrapper/tests/functional/[sub\\_super\\_class\\_functional\\_tests.py](#)



# Chapter 7

## File Documentation

### 7.1 /home/travis/rapp\_temp/rapp-platform/rapp\_knowrob\_wrapper/tests/functional/cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.py File Reference

#### Classes

- class [cognitive\\_exercise\\_system\\_knowrob\\_services\\_functional\\_tests.OntologyFunc](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Namespaces

- [cognitive\\_exercise\\_system\\_knowrob\\_services\\_functional\\_tests](#)

#### Variables

- string [cognitive\\_exercise\\_system\\_knowrob\\_services\\_functional\\_tests.PKG](#) = 'rapp\_knowrob\_wrapper'

### 7.2 /home/travis/rapp\_temp/rapp-platform/rapp\_knowrob\_wrapper/tests/functional/load\_dump\_ontology\_functional\_tests.py File Reference

#### Classes

- class [load\\_dump\\_ontology\\_functional\\_tests.OntologyFunc](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Namespaces

- [load\\_dump\\_ontology\\_functional\\_tests](#)

#### Variables

- string [load\\_dump\\_ontology\\_functional\\_tests.PKG](#) = 'rapp\_knowrob\_wrapper'

## 7.3 /home/travis/rapp\_temp/rapp-platform/rapp\_knowrob\_wrapper/tests/functional/sub\_-super\_class\_functional\_tests.py File Reference

### Classes

- class [sub\\_super\\_class\\_functional\\_tests.OntologyFunc](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

### Namespaces

- [sub\\_super\\_class\\_functional\\_tests](#)

### Variables

- string [sub\\_super\\_class\\_functional\\_tests.PKG](#) = 'rapp\_knowrob\_wrapper'

# Index

/home/travis/rapp\_temp/rapp-platform/rapp\_knowrob\_wrapper/tests/functional/load\_dump\_ontology\_functional\_tests.py, 21

/home/travis/rapp\_temp/rapp-platform/rapp\_knowrob\_wrapper/tests/functional/sub\_super\_class\_functional\_tests.py, 22

cognitive\_exercise\_system\_knowrob\_services\_functional\_tests, 9  
PKG, 9

cognitive\_exercise\_system\_knowrob\_services\_functional\_tests.OntologyFunc, 11

load\_dump\_ontology\_functional\_tests, 9  
PKG, 9

load\_dump\_ontology\_functional\_tests.OntologyFunc, 14

load\_dump\_ontology\_functional\_tests::OntologyFunc  
test\_dump\_correct\_path, 15  
test\_dump\_invalid\_path, 15  
test\_load\_existent, 15  
test\_load\_nonexistent, 15

PKG  
cognitive\_exercise\_system\_knowrob\_services\_functional\_tests, 9  
load\_dump\_ontology\_functional\_tests, 9  
sub\_super\_class\_functional\_tests, 10

sub\_super\_class\_functional\_tests, 10  
PKG, 10

sub\_super\_class\_functional\_tests.OntologyFunc, 15

test\_cognitive\_tests\_of\_existent\_type  
cognitive\_exercise\_system\_knowrob\_services\_functional\_tests::OntologyFunc, 12

test\_create\_nonexistent\_cognitive\_test  
cognitive\_exercise\_system\_knowrob\_services\_functional\_tests::OntologyFunc, 13

test\_dump\_correct\_path  
load\_dump\_ontology\_functional\_tests::OntologyFunc, 15

test\_dump\_invalid\_path  
load\_dump\_ontology\_functional\_tests::OntologyFunc, 15

test\_load\_existent  
load\_dump\_ontology\_functional\_tests::OntologyFunc, 15

test\_load\_nonexistent  
load\_dump\_ontology\_functional\_tests::OntologyFunc, 15

test\_sub\_superclasses\_of\_existent\_class\_direct  
sub\_super\_class\_functional\_tests::OntologyFunc, 17

test\_sub\_superclasses\_of\_existent\_class\_indirect  
sub\_super\_class\_functional\_tests::OntologyFunc, 17

test\_sub\_superclasses\_of\_existent\_class\_recursive  
sub\_super\_class\_functional\_tests::OntologyFunc, 17

test\_sub\_superclasses\_of\_existent\_classes\_recursive  
sub\_super\_class\_functional\_tests::OntologyFunc, 18

test\_sub\_superclasses\_of\_non\_existent\_class  
sub\_super\_class\_functional\_tests::OntologyFunc, 18

test\_sub\_superclasses\_of\_non\_existent\_classes  
sub\_super\_class\_functional\_tests::OntologyFunc, 18

test\_subclasses\_of\_existent\_class  
sub\_super\_class\_functional\_tests::OntologyFunc, 18

test\_subclasses\_of\_existent\_class\_recursive  
sub\_super\_class\_functional\_tests::OntologyFunc, 18

test\_subclasses\_of\_existent\_class\_stress  
sub\_super\_class\_functional\_tests::OntologyFunc, 18

test\_subclasses\_of\_non\_existent\_class  
sub\_super\_class\_functional\_tests::OntologyFunc, 18

test\_subclasses\_of\_non\_existent\_class\_recursive  
sub\_super\_class\_functional\_tests::OntologyFunc, 18

test\_superclasses\_of\_existent\_class  
sub\_super\_class\_functional\_tests::OntologyFunc, 18

test\_superclasses\_of\_existent\_class\_recursive  
sub\_super\_class\_functional\_tests::OntologyFunc, 19

test\_superclasses\_of\_non\_existent\_class  
sub\_super\_class\_functional\_tests::OntologyFunc, 19

test\_superclasses\_of\_non\_existent\_class\_recursive  
sub\_super\_class\_functional\_tests::OntologyFunc, 19