

RAPP Platform Tests - Mysql Wrapper  
v0.6.0

Generated by Doxygen 1.8.6

Fri Jul 29 2016 18:44:35



# Contents

<b>1</b>	<b>Namespace Index</b>	<b>1</b>
1.1	Namespace List	1
<b>2</b>	<b>Hierarchical Index</b>	<b>3</b>
2.1	Class Hierarchy	3
<b>3</b>	<b>Class Index</b>	<b>5</b>
3.1	Class List	5
<b>4</b>	<b>File Index</b>	<b>7</b>
4.1	File List	7
<b>5</b>	<b>Namespace Documentation</b>	<b>9</b>
5.1	<a href="#">rapp_mysql_wrapper_functional_tests Namespace Reference</a>	9
5.1.1	Variable Documentation	9
5.1.1.1	PKG	9
5.2	<a href="#">rapp_mysql_wrapper_functional_tests_old Namespace Reference</a>	9
5.2.1	Variable Documentation	9
5.2.1.1	PKG	9
<b>6</b>	<b>Class Documentation</b>	<b>11</b>
6.1	<a href="#">rapp_mysql_wrapper_functional_tests.TestDbWrapper Class Reference</a>	11
6.1.1	Detailed Description	12
6.1.2	Member Function Documentation	12
6.1.2.1	testcheckActiveApplicationToken	12
6.1.2.2	testCheckIfUserExists	12
6.1.2.3	testCreateAndRemoveNewPlatformUser	12
6.1.2.4	testgetUserLanguage	12
6.1.2.5	testgetUsernameAssociatedWithApplicationToken	13
6.1.2.6	testgetUserOntologyAlias	13
6.1.2.7	testgetUserPassword	13
6.1.2.8	testRegisterUserOntologyAlias	13
6.2	<a href="#">rapp_mysql_wrapper_functional_tests_old.TestDbWrapper Class Reference</a>	13

---

6.2.1	Detailed Description	14
6.2.2	Member Function Documentation	14
6.2.2.1	testDBError	14
6.2.2.2	testNullInputError	14
6.2.2.3	testTblUserWriteReadDeleteCheck	14
<b>7</b>	<b>File Documentation</b>	<b>17</b>
7.1	/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests.py File Reference	17
7.2	/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests_old.py File Reference	17
<b>Index</b>		<b>18</b>

# Chapter 1

## Namespace Index

### 1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

<a href="#">rapp_mysql_wrapper_functional_tests</a> . . . . .	9
<a href="#">rapp_mysql_wrapper_functional_tests_old</a> . . . . .	9



# Chapter 2

## Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

- TestCase
- rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper . . . . . 11
- rapp\_mysql\_wrapper\_functional\_tests\_old.TestDbWrapper . . . . . 13



# Chapter 3

## Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">rapp_mysql_wrapper_functional_tests.TestDbWrapper</a>	Inherits the unittest.TestCase class in order to offer functional tests functionality . . . . .	11
<a href="#">rapp_mysql_wrapper_functional_tests_old.TestDbWrapper</a>	Inherits the unittest.TestCase class in order to offer functional tests functionality . . . . .	13



# Chapter 4

## File Index

### 4.1 File List

Here is a list of all files with brief descriptions:

<a href="#">/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests.py</a>	17
<a href="#">/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests_old.py</a>	17



## Chapter 5

# Namespace Documentation

### 5.1 rapp\_mysql\_wrapper\_functional\_tests Namespace Reference

#### Classes

- class [TestDbWrapper](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Variables

- string `PKG = 'test_rapp_mysql_wrapper'`

#### 5.1.1 Variable Documentation

5.1.1.1 string `rapp_mysql_wrapper_functional_tests.PKG = 'test_rapp_mysql_wrapper'`

Definition at line 20 of file `rapp_mysql_wrapper_functional_tests.py`.

### 5.2 rapp\_mysql\_wrapper\_functional\_tests\_old Namespace Reference

#### Classes

- class [TestDbWrapper](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Variables

- string `PKG = 'test_rapp_mysql_wrapper'`

#### 5.2.1 Variable Documentation

5.2.1.1 string `rapp_mysql_wrapper_functional_tests_old.PKG = 'test_rapp_mysql_wrapper'`

Definition at line 20 of file `rapp_mysql_wrapper_functional_tests_old.py`.




# Chapter 6

## Class Documentation


### 6.1 rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper Class Reference

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Inheritance diagram for rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper:



Collaboration diagram for rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper:



## Public Member Functions

- def [testcheckActiveApplicationToken](#)  
*Tests the checkActiveApplicationToken service.*
- def [testCheckIfUserExists](#)  
*Tests the checkIfUserExists service.*
- def [testCreateAndRemoveNewPlatformUser](#)  
*Tests the createAndRemoveNewPlatformUser service.*
- def [testgetUserLanguage](#)  
*Tests the getUserLanguage service.*
- def [testgetUsernameAssociatedWithApplicationToken](#)  
*Tests the getUsernameAssociatedWithApplicationToken service.*
- def [testgetUserOntologyAlias](#)  
*Tests the rapp\_mysql\_wrapper\_user\_write\_data service when an invalid column is provided.*
- def [testgetUserPassword](#)  
*Tests the getUserPassword service.*
- def [testRegisterUserOntologyAlias](#)  
*Tests the registerUserOntologyAlias service.*

### 6.1.1 Detailed Description

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Definition at line 60 of file rapp\_mysql\_wrapper\_functional\_tests.py.

### 6.1.2 Member Function Documentation

#### 6.1.2.1 def rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper.testcheckActiveApplicationToken ( self )

Tests the checkActiveApplicationToken service.

Definition at line 146 of file rapp\_mysql\_wrapper\_functional\_tests.py.

#### 6.1.2.2 def rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper.testCheckIfUserExists ( self )

Tests the checkIfUserExists service.

Definition at line 88 of file rapp\_mysql\_wrapper\_functional\_tests.py.

#### 6.1.2.3 def rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper.testCreateAndRemoveNewPlatformUser ( self )

Tests the createAndRemoveNewPlatformUser service.

Definition at line 159 of file rapp\_mysql\_wrapper\_functional\_tests.py.

#### 6.1.2.4 def rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper.testgetUserLanguage ( self )

Tests the getUserLanguage service.

Definition at line 107 of file rapp\_mysql\_wrapper\_functional\_tests.py.

6.1.2.5 `def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testgetUsernameAssociatedWithApplicationToken ( self )`

Tests the getUsernameAssociatedWithApplicationToken service.

Definition at line 133 of file `rapp_mysql_wrapper_functional_tests.py`.

6.1.2.6 `def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testgetUserOntologyAlias ( self )`

Tests the `rapp_mysql_wrapper_user_write_data` service when an invalid column is provided.

Definition at line 62 of file `rapp_mysql_wrapper_functional_tests.py`.

6.1.2.7 `def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testgetUserPassword ( self )`

Tests the getUserPassword service.

Definition at line 120 of file `rapp_mysql_wrapper_functional_tests.py`.

6.1.2.8 `def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testRegisterUserOntologyAlias ( self )`

Tests the registerUserOntologyAlias service.

Definition at line 75 of file `rapp_mysql_wrapper_functional_tests.py`.


The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_mysql\\_wrapper/tests/rapp\\_mysql\\_wrapper\\_functional\\_tests.py](#)


## 6.2 rapp\_mysql\_wrapper\_functional\_tests\_old.TestDbWrapper Class Reference

Inherits the `unittest.TestCase` class in order to offer functional tests functionality.

Inheritance diagram for `rapp_mysql_wrapper_functional_tests_old.TestDbWrapper`:



Collaboration diagram for `rapp_mysql_wrapper_functional_tests_old.TestDbWrapper`:



## Public Member Functions

- def [testDBError](#)  
*Tests the `rapp_mysql_wrapper_user_write_data` service when an invalid column is provided.*
- def [testNullInputError](#)  
*Tests the `rapp_mysql_wrapper_robot_fetch_data` service when null input is provided.*
- def [testTblUserWriteReadDeleteCheck](#)  
*Tests the the write,read,update,delete rapp mysql wrapper services of the tblUser.*

### 6.2.1 Detailed Description

Inherits the `unittest.TestCase` class in order to offer functional tests functionality.

Definition at line 47 of file `rapp_mysql_wrapper_functional_tests_old.py`.

### 6.2.2 Member Function Documentation

#### 6.2.2.1 `def rapp_mysql_wrapper_functional_tests_old.TestDbWrapper.testDBError ( self )`

Tests the `rapp_mysql_wrapper_user_write_data` service when an invalid column is provided.

Definition at line 49 of file `rapp_mysql_wrapper_functional_tests_old.py`.

#### 6.2.2.2 `def rapp_mysql_wrapper_functional_tests_old.TestDbWrapper.testNullInputError ( self )`

Tests the `rapp_mysql_wrapper_robot_fetch_data` service when null input is provided.

Definition at line 72 of file `rapp_mysql_wrapper_functional_tests_old.py`.

#### 6.2.2.3 `def rapp_mysql_wrapper_functional_tests_old.TestDbWrapper.testTblUserWriteReadDeleteCheck ( self )`

Tests the the write,read,update,delete rapp mysql wrapper services of the tblUser.

Definition at line 87 of file `rapp_mysql_wrapper_functional_tests_old.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_mysql\\_wrapper/tests/rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old.py](#)



# Chapter 7

## File Documentation

### 7.1 `/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests.py` File Reference

#### Classes

- class [rapp\\_mysql\\_wrapper\\_functional\\_tests.TestDbWrapper](#)  
*Inherits the `unittest.TestCase` class in order to offer functional tests functionality.*

#### Namespaces

- [rapp\\_mysql\\_wrapper\\_functional\\_tests](#)

#### Variables

- string [rapp\\_mysql\\_wrapper\\_functional\\_tests.PKG](#) = 'test\_rapp\_mysql\_wrapper'

### 7.2 `/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests_old.py` File Reference

#### Classes

- class [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old.TestDbWrapper](#)  
*Inherits the `unittest.TestCase` class in order to offer functional tests functionality.*

#### Namespaces

- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old](#)

#### Variables

- string [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old.PKG](#) = 'test\_rapp\_mysql\_wrapper'

# Index

/home/travis/rapp\_temp/rapp-platform/rapp\_mysql\_wrapper/tests/rapp\_mysql\_wrapper\_functional\_tests.py, [17](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_mysql\_wrapper/tests/rapp\_mysql\_wrapper\_functional\_tests\_old.py, [17](#)

PKG

- [rapp\\_mysql\\_wrapper\\_functional\\_tests](#), [9](#)
- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old](#), [9](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests](#), [9](#)

- PKG, [9](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests.TestDbWrapper](#), [11](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#)

- [testCheckIfUserExists](#), [12](#)
- [testCreateAndRemoveNewPlatformUser](#), [12](#)
- [testRegisterUserOntologyAlias](#), [13](#)
- [testcheckActiveApplicationToken](#), [12](#)
- [testgetUserLanguage](#), [12](#)
- [testgetUserOntologyAlias](#), [13](#)
- [testgetUserPassword](#), [13](#)
- [testgetUsernameAssociatedWithApplicationToken](#), [12](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old](#), [9](#)

- PKG, [9](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old.TestDbWrapper](#), [13](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old::TestDbWrapper](#)

- [testDBError](#), [14](#)
- [testNullInputError](#), [14](#)

[testCheckIfUserExists](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)

[testCreateAndRemoveNewPlatformUser](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)

[testDBError](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old::TestDbWrapper](#), [14](#)

[testNullInputError](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old::TestDbWrapper](#), [14](#)

[testRegisterUserOntologyAlias](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [13](#)

[testTblUserWriteReadDeleteCheck](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old::TestDbWrapper](#), [14](#)

[testcheckActiveApplicationToken](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)

[testgetUserLanguage](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)

[testgetUserOntologyAlias](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [13](#)

[testgetUserPassword](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [13](#)

[testgetUsernameAssociatedWithApplicationToken](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)